

COMMUNITY PROJECT ACCOUNT (Small, De Minimus Public Projects)

APPLICATION

1) Name of Project: <u>Donaldson Center F.D. Standby</u>	Generator
Check Project Type:	
Nonrecurring community requests for infrastruc	ture:
Flooding	
Roads	
Light s	
Sewer and drainage	
X Public buildings and grounds	
Infrastructure related studies	
Contributions to local governments in Greenville	County for community projects
Project Sponsor Organization:	
Greenville, S.C	
4) Contact Person:	
Name J.R. Boyce	Title Fire Chief
Telephone <u>864-277-1429</u>	Alt. Telephone No
Email_dcfdchiefirb@hotmail.com	Fax No.864-277-0110
Council Representative(s) BOB TAY LOR-	UZ Seman Butch KIRV
5) Project Timeline ~ Beginning: 9-17-2013 MONTH/DAY/YEAR	Ending: 11-29-2013 MONTH/DAY/YEAR
6) Date Funds are Needed: 9-27-2013	

7) Locatio	on of Project: <u>Donaldson Center F.D.</u>
8) Projec	t Description: (Attach additional pages if necessary)
a.	General Description: Installation of acquired generator for emergency power
to F.D. He	eadquarters station
b.	Benefit project will provide the Community:
	This generator will provide fully operational power for the fire station during
<u>the event</u>	of inclement weather conditions or unexpected power outages for the continued
protection	n of SCTAC and the surrounding area.
C.	Additional Comments: The generator was donated by Cytec Carbon Fibers. The
funds are	necessary for the installation of the equipment
9) Projec	t Budget:
a.	Total Project Budget including all sources of funds: \$ 42,326.72
b.	Percent request equals of the total Project Budget? <u>23.5%</u>

Funding Source
75KW 400W Gas Caterpillar generator(Cytec Carbon Fibers donated

75KW 400W Gas Caterpillar generator(Cytec Carbon Fibers donated)	\$30,000.00	
Wire, conduit, gas piping & connections, cement, man hours	\$2,440.00	
Transfer switch & associated equipment	\$9,886.72	
TOTAL:	\$42,326.72	

Signed

List below all funding sources for this project:

-3- /3 Date

Amount


Title






Quote #: JD0299







MADE IN S.C.
SOUTH CAROLINA MANUFACTURERS ALLIANCE

Donaldson Fire Dept

09/03/2013

Prepared by:

Jerad Dunlap
0: (803) 926-4225
C: (803) 429-5079

THIS QUOTATION INCLUDES AND IS SUBJECT TO ALL THE PROVISIONS ON THE REVERSE HEREOF. PRICES QUOTED ARE GUARANTEED FOR 30 DAYS FROM THE DATE OF THE PROPOSAL.

PLEASE REVIEW YOUR SPECIFICATIONS TO BE SURE THAT THE APPARATUS DESCRIBED ABOVE MEETS YOUR REQUIREMENTS. This quotation covers such apparatus as described herein and does not constitute a job proposal. Reference herein to a job name or a job number does not institute a representation or warranty that such apparatus meets any particular specification. Thank you for your request and for your consideration of this quotation.

Plus all applicable state and local taxes. Telephone and verbal orders are to be confirmed in writing. We reserve the right to correct stenographic or clerical errors. Deliveries are subject to occurrences beyond our control.

Columbia 3151 Charleston Hwy W. Columbia, SC 29172 803.791.7100 tel 803.791.9874 fax

Greenville 6755 Frontage Rd Greenville, SC 29605 864.672.0500 tel 864.672.0501 fax

Florence 3031 Caterpillar Lane Florence, SC 29506 843.678.8520 tel 843.678.8538 fax Rock Hill 3777 Lazy Hawk Rd Rock Hill, SC 29730 803.324.9600 tel 803.324.9710 fax Myrtle Beach 2334 Chestnut Road Longs, SC 29568 843 399 1692 tel 843 399 2092 fax

Summerville 153 Farmington Drive Summerville, SC 29483 843.871.2001 tel 843.285.2854 fax





Quote #: JD0299

(1) Caterpillar Automatic Transfer Switch:

400amp 120/208v, 3 Phase **Open Transition** MX 150 Controller Programmable Exerciser **NEMA 3R Enclosure**

Total Cost for (Excluding Sales Tax):	\$6,700
	,

Notes:

Current factory lead time, per approved submittals, 8-10 weeks.

Scope of supply is limited to items listed in quotation.

Offloading, setting, installation, assembly, wiring, piping, exhaust insulations and fueling provided by others.

THIS QUOTATION INCLUDES AND IS SUBJECT TO ALL THE PROVISIONS ON THE REVERSE HEREOF. PRICES QUOTED ARE GUARANTEED FOR 30 DAYS FROM THE DATE OF THE PROPOSAL.

PLEASE REVIEW YOUR SPECIFICATIONS TO BE SURE THAT THE APPARATUS DESCRIBED ABOVE MEETS YOUR REQUIREMENTS. This quotation covers such apparatus as described herein and does not constitute a job proposal. Reference herein to a job name or a job number does not institute a representation or warranty that such apparatus meets any particular specification. Excludes all applicable state and local taxes. Telephone and verbal orders are to be confirmed in writing. We reserve the right to correct stenographic or clerical errors. Deliveries are subject to occurrences beyond our control.

Thank you for your request and for your consideration of this quotation.

ACCEPTANCE:	
	DATE

Columbia 3151 Charleston Hwy W. Columbia, SC 29172 Greenville, SC 29605 803.791.7100 tel 803.791.9874 fax

Greenville 6755 Frontage Rd 864.672,0500 tel 864.672.0501 fax

Florence 3031 Caterpillar Lane Florence, SC 29506 843.678.8520 tel 843.678.8538 fax

Rock Hill 3777 Lazy Hawk Rd Rock Hill, SC 29730 803.324.9600 tel 803.324.9710 fax

Myrtle Beach 2334 Chestnut Road Longs, SC 29568 843.399.1692 tel 843,399,2092 fax

Summerville 153 Farmington Drive Summerville, SC 29483 843.871.2001 tel 843.285.2854 fax





DATE

Quote #: JD0299

Terms and Conditions

Blanchard Machinery Company, a corporation having its principal office at 3151 Charleston Highway, West Columbia, SC 29172 with a mailing address of P.O. Box 7517, Columbia, SC 29202 (hereinafter called "SELLER") hereby sales to the identified CUSTOMER and the CUSTOMER hereby purchases from the SELLER the personal property described and in consideration of which SELLER and CUSTOMER do hereby covenant and agree in this Order Acknowledgement as follows:

COMPLIANCE WITH LAWS

This order shall be governed by the laws of the state of South Carolina. Buyer shall fully comply with all applicable federal, state or local laws, rules, regulations, or ordinances and shall hold Buyer harmless from any liability resulting from failure of such compliance.

CONTINGENCIES

This order is contingent upon credit approval. This order acknowledgement is conditioned upon and subject to the Customer maintaining the financial creditworthiness required for payment.

PAYMENT TERMS

Unless otherwise specified herein, payment of an undisputed amount of an invoice shall be made within thirty (30) days after the invoice,

FINANCE CHARGE

Amounts payable, which are not paid within 30 days of the due date, shall be subject to a Finance Charge computed on such account balance by a "Periodic Rate" equal to 18% per annum or, if less, the highest rate permitted by law.

INSURANCE

CUSTOMER assumes and shall bear the entire risk of loss of and damage to the EQUIPMENT from any and every cause whatsoever as of the date the EQUIPMENT is delivered to CUSTOMER.

CUSTOMER shall indemnify and save Seller harmless from and against any and all damage or injury to or loss of EQUIPMENT or any part thereof and from and against any and all claims, damages, judgments, and liability whatsoever occasioned by or resulting from the use, operations, possession, or transportation of EQUIPMENT. The amount of damage for any loss of or injury to EQUIPMENT shall be based upon the then actual reasonable market value.

CONDITION UPON DELIVERY

CUSTOMER shall be conclusively presumed to have accepted the EQUIPMENT in the condition existing at the time of delivery hereunder unless within forty-eight (48) hours thereafter, CUSTOMER shall notify SELLER of any actual existing defects and of CUSTOMER'S refusal to accept the EQUIPMENT in its then condition. Thereupon, SELLER, if it shall so elect, without liability to CUSTOMER, may arrange to correct any such defect of the EQUIPMENT.

WARRANTIES DISCLAIMER OF WARRANTIES

BLANCHARD MACHINERY CO., THE SELLER, EXPRESSLY DISCLAIMS ANY REPRESENTATION OR WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, WITH RESPECT TO THE CONDITION OR PERFORMANCE OF THE EQUIPMENT, ITS MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR WITH RESPECT TO THE FREEDOM OF CLAIMS OF ANY PERSON BY WAY OF INFRINGEMENT OR THE LIKE. SELLER SHALL HAVE NO LIABILITY TO CUSTOMER FOR ANY CLAIM, LOSS OR DAMAGE OF ANY KIND OR NATURE WHATSOEVER, INCLUDING CLAIMS ARISING OUT OF OR IN CONNECTION WITH (i) ANY DEFICIENCY OR INADEQUACY OF THE EQUIPMENT FOR ANY PURPOSE (ii) ANY DEFICIENCY OR DEFECT IN THE EQUIPMENT, (iii) THE USE OR PERFORMANCE OF THE EQUIPMENT, OR (iv) ANY LOSS OF BUSINESS OR OTHER CONSEQUENTIAL LOSS OR DAMAGE.

INDEMNIFICATION

Except for the gross negligence or willful misconduct of the SELLER or its assignees, CUSTOMER, shall and does agree to indemnify, protect, defend, save and keep harmless SELLER and its assignee(s) from and against any and all liabilities, obligations, losses, damages, penalties, claims, actions, suits, costs, or expenses of any kind and nature whatsoever, including but not limited to attorney's fees, including without limitation, attorney's fees in connection with the enforcement of this indemnification, which may be imposed upon, incurred by or asserted against the SELLER or its assignee(s) in any way relating to or arising out of this sale, possession, use, taxation, condition or operation of, or any accident involving, the EQUIPMENT (including, without limitation, those claims based on latent and other defects, whether or not discoverable, or claims based on strict liability arising out of CUSTOMER's possession, use, condition or operation of the EQUIPMENT).

COMPLIANCE BY CUSTOMER UNDER LAWS RELATED TO GOVERNMENT CONTRACTS

The CUSTOMER agrees, that to the extent applicable to this Sale, unless exempted by federal law, regulation or order, to comply with Federal statutes, Executive Orders, and implementing regulations, including the provisions of 29 CFR Part 470 relating to government contractors and subcontractors regarding equal employment opportunity, affirmative action, the employment of veterans and the handicapped and the utilization of minority or female-owned business enterprises.

NON-WAIVER

Failure of SELLER to insist on strict performance of any of the convents or agreements set forth herein shall not be construed to be a waiver of any such or other covenants or agreements, and the same shall remain in full force and effect.

ENTIRE AGREEMENT

This Order constitutes the entire agreement between SELLER and CUSTOMER, and no oral agreement, guaranty, promise, condition, or representation heretofore, made or claimed to have been made by SELLER shall be binding upon SELLER unless herein expressly stated.

		reedi mined		<i>DA</i>	
Columbia	Greenville	Florence	Rock Hill	Myrtle Beach	Summerville
3151 Charleston Hwy	6755 Frontage Rd	3031 Caterpillar Lane	3777 Lazy Hawk Rd	2334 Chestnut Road	153 Farmington Drive
W. Columbia, SC 29172	Greenville, SC 29605	Florence, SC 29506	Rock Hill, SC 29730	Longs, SC 29568	Summerville, SC 29483
803.791.7100 tel	864.672.0500 tel	843.678.8520 tel	803.324.9600 tel	843,399,1692 tel	843.871.2001 tel
803.791.9874 fax	864.672.0501 fax	843.678.8538 fax	803.324.9710 fax	843.399.2092 fax	843 285 2854 fax

ACCEPTANCE



Attw. Eddie -Thanks gell-

Address all Orders and Replies To:

PL&E Sales 200 E. Woodlawn Road Suite 116 Charlotte, NC 28217 Fax.No:525-1003

JOB NAME & QUOTATION NO: Untied Elec 083013 & E1-13-101307-1-1

To

Jeff Slaughter **United Electrical Dist** 2 Skyvlew Drive Greenville, SC 29602 Tel No: (864) 235-0255

Fax No:

Date	:	08/30/2013	
------	---	------------	--

Proposal No:	E1-13-101307-1-1
Reference :	

SUBJECT: Quotation for Untiled Elec 083013

We are pleased to offer you our quotation E1-13-101307-1-1 in response to your inquiry

Prices are provided for ASCO Products. Quoted prices will be valid for 30 days from date of quotation.

#1 ATS AMPS:0	9400 QTY:1
Bulletin Number : Series 300 Transfer Switches	Catalog Number : E03AUS030400C10M
Service Voltage / Hz : 208V/60Hz	Optional Accessories :
By-pass Isolation : Not Applicable	Product Description : Series 300 Service Entrance
No. of Switched Poles: 3	Neutral Configuration : Solid [A]
Withstand Rating : 0 (With Current Limiting Fuses), A @ 480V 0 (Specific Breaker), 35,000 (Any Breaker) Other Ratings May Apply. Contact ASCO for Details.	No. of Cables & Lug 2, 1/0 to 250 MCM size :
Enclosure : 3R(M)-Type 3R secure double door enclosure	Service : Three Phase, 4-wire
Extended Warranty (Years - Cost) : Not Included	Markings :

geff Slaught Lot Price # 6,700.00 United Elect Dist FRT/ALLowel -8-30-13

12 week's Lend-Time-

ASCO Series 300 - Microprocessor Control Panel Standard Operational Features, Controls and Status Indicators

Standard Selectable Features

- Inphase monitor to transfer motor loads without any intentional off time to help prevent motor inrush currents from exceeding normal starting levels.
- Engine exerciser to automatically test engine generator each week. Includes control switch for testing with or without load.
- Selective load disconnect, double-throw contact to operate at an adjustable 0 to 20 second time delay prior to transfer and reset 0 to 20 seconds after transfer.
- 60 Hz or 50 Hz selector switch.
- · Three-phase/single-phase selector switch.

Pliot Lamp Indications / User Interface

- Load connected to Normai source Green
- Load connected to Emergency source Red
- Normai Source available Green
- Emergency Source available Red
- Transfer Test
- Bypass retransfer time delay
- Set Engine Exerciser
- Engine Exerciser status Yellow

Voltage & Frequency Sensing

- Adjustable three-phase, close differential voltage sensing on normal source.
- Normal source pickup voltage is adjustable to 95% of nominal; drop-out is adjustable from 70 to 90% of nominal.
- Frequency sensing on emergency source. Pickup at 95% and dropout at 85% of nominal.

Time Delays

- Adjustable time delay to over ride momentary normal source outages to delay all transfer switch and engine-starting signals.
- Transfer to emergency time delay. Adjustable from 0 to 5 minutes for controlled timing of load transfer to emergency.
- Retransfer to normal time delay. Adjustable to 30 minutes.
- Five-minute unloaded running time delay for emergency engine generator cool down.
- Four-second time delay to override momentary to ignore momentary voltage and frequency transients during initial genset loading.

Standard Control Contacts

- Switch position indicating contacts (rated 10 amps 250VAC, 32VDC). (1) for Normal position, (1) for Emergency position.
- Gold plated engine start contacts (rated 5 amps 28VDC or 120VAC).

Remote Control Features

- Terminal provisions for connecting:
 - o Remote test switch.
 - Remote contact for test or for peak shaving applications. Circuit will be automatically bypassed if emergency source fails.
 - o Inhibit transfer to emergency.



United Electrical Distributors, Inc.

P.O. Box 2669 Greenville, SC 29602

Phone: 864-235-0255 Fax: 864-233-0681



Page 1

Quote Date	Expires Authoriz	artion Selesperso	n.	जि ग	ine least a	: emma	
8/16/13	200 - 0.2 O C C C C C C C C C C C C C C C C C C	HOUSE		30	010	Cash or	Check
eliore #	E.C. Rimber	Bill of pating	Shir Vita	Per/Got	Mainte-	ne marketina ma	
01/045535	Eddie	10-2074-0014 to 0010-001	COUNTER	FA	Gree	nville,	sc

Sold To C.O.D. BLECTRICAL CONTRACTOR

Ship To C.O.D. ELECTRICAL CONTRACTOR eddie Howard

Quantity	Our Stack #/Description/Your Part #	Unit Price	LIPE	Extended Price
1	LG 40107-02DU 400A METER BASE 3PH (320A) 208Y120(NO LUGS 8 REQ/BLANK HUB)	288.19	BA	288.1
1	LG 243212CTDFIG	245.55	EA	245.5
6	201-800AMP (LG243212CTDPIG)			
8	LG H60162 MECH LUG 4-600MCM LINE LUGS 40107-02DU H 58022	9.57	EA	76.5
7.5		SubTot		610,3
		Sales T	ах	36.6
		Quote Tota	50m (2.0)	646.92





320A Meter Mounting Equipment, Type HQ, Heavy Duty Residential/Commercial/Industrial ©3


rminal for 1 Phase, 3 Wire • 7 Terminal for 3 Phase, 4 Wire, Wve or Delta

Amp Rating	(2) (2) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	. = 0	a = 560	Connectors Line	Load	Dimensions (inches)		No. of	Hub	Catalog	
Cont./Max	Type	Bypass	Service			W	H	D	Terminals	Opening	Number
320/400	HQ-4D	Lever	OH/UG	3/8" Stud	3/8" Stud	14	28	6	4	HD CL Plate	47704-02 ③
Approved for (320/400	Carolino Po HQ-4SWT		ht and Du OH/UG	ke Power 60162	56732-1	14	28	6	4	HD CL Plate	48104-82CA ④
Approved for (320/400	Carolina Po HQ-7D	wer & Lig Lever	ht OH/UG	3/8" Stud	3/8" Stud	14	28	6	7	HD CL Plate	47707-02 ③
320/400	HQ-7SWDI	Lever	OH/UG	3/8" Stud	3/8" Stud	20	34	6	7	HD CL Plate	48707-02
Approved for 1 320/400	Duke Powe HQ-75B	r Lever	OHIUG	3/8" Stud	3/8" Stud	20	34	6	7	HD CL Plate	40107-02DU

- All units are UL listed.
 Bypass mechanism is lever-operated, jaw pressure release with 100% bypass capacity.
- Disconnect sleeves should not be used with this device.
 This device includes 600 MCM single or 250 MCM parallell line side lugs (60162), 350

This device does NOT include a ground lug.

Lugs: Pages 25-26 Accessories: Page 27



(HH) @ (HH)


801-1200 Amps

277/480V





(lugs not shown) **HQ-SWT** Œ Œ (EE)



LG404014CTDDP2G

Socket Selection Guide for Duke Power Installations Over 200 Amps

Contact Duke Power

KNO	CKO	LITS	(inch	es):
12140	~140		100.000	/-

(H) (H)

1/2, 3/4 2, 2-1/2, 3 2-1/2, 3, 3-1/2 EE: GG: 2-1/2, 3, 3-1/2, 4 HH: 1/4, 1/2 AC:

1/4, 1/2, 3/4, 1, 1-1/4 Ø4.281 HUB OP AE: HD:

1) Locate your amperage 2) Locate your voltage and phase 3) Choose the appropriate socket or CT cabinet catalog number CT Cabinet No. Amperage 201-400 Amps Socket Cat. No. Phase Voltage 120/240V 48104-B2CA N/A 40107-02DU NIA 201-400 Amps 120/208V 3 LG243212CTDPIG Contact Duke Power 201-800 Amps 277/480V 3

 A) Any installation 277V and higher must use CT cabinets and Duke Power supplied meter base. B) 400 Amp installations 1 and 3 phase, 240V and below will use 320 Amp continuous meter bases. C) Any installation over 400 Amps (including 600 Amps) will no longer use K base metering



GREENVILLE COD TRUCK SERVICE ATTN DENNIS LEONARD GREENVILLE COD TRUCK SHOP DO NOT MAIL GREENVILLE SC

Estimate

CUSTOMER NO.	CONTACT	PHONE NO.	FAX NO.	The least the same and the person is the same and
7092000				
ESTIMATE NO.	P.O. NO.	DATE		WORK ORDER NO.
1314683		Aug 05, 2013		A DESCRIPTION OF PURPOSE TO THE TOTAL TOTA
MAKE	MODEL	SERIAL NO.	UNIT NO.	HOURS
Olympian	D80F3	NGD01793	THE STATE OF THE S	0

SEGMENT: 01

Olympian D80F3 Voltage swap from 480/277 to 208/120.

Existing 125 amp breaker and mounting box will be removed and replaced with new 400 amp breaker and mounting box. Leads will be swaped out and new current transformers will be installed. Generator control panel will be reprogramed to new voltage configuration.

Segment 01 Total \$2,785.39

TOTAL ESTIMATE \$2.785.39

This estimate will expire 30 days from the estimate date.

Price excludes Freight Charges, Operating Supplies/EPA Fees and Overtime.

Terms: Net 10th.

Sales Taxes where applicable are not included with the above prices.

Customer will be notified upon teardown and/or inspection of any additional parts or labor that may be needed to complete this repair. Parts and/or Labor not covered by this estimate will be additional and a revised estimate will be given.

This estimate may include Remanufactured or Exchange components as noted. The core charges and credits associated with

these parts will be determined by using CATERPILLAR's Core Acceptance Guidelines. Some core charges may qualify for full, partial or zero credit.

ESTIMATED REPAIR TIME: "The signature is an authorization to proceed with the require	from start date d repair work as described within the quote".
Issued PO#, Authorized Name	Please Print
Date /	_
	Signature