



PLAN VIEW



PROFILE VIEW



OUTLET STRUCTURE TO VEGETATED BUFFER

OUTLET STRUCTURE TO VEGETATED BUFFER NOTES:

TWO 15-FT. SECTIONS OF 3-INCH DIAMETER SCHEDULE 40 PVC PIPE ATTACHED TO 3" PVC TEE SECTION. EACH OPEN PIPE END SHALL BE CAPPED.

EACH 15-FT. SECTION HAS 20, 0.50-INCH DIAMETER HOLES LOCATED 0.5 INCHES FROM THE BOTTOM OF THE PIPE. LINEARLY SPACED 9 INCHES ON CENTER, WITH THE FIRST HOLE STARTING 8 INCHES FROM THE EXTREME END OF THE PIPE.

EACH 15-FT. SECTION HAS 18, 1.00-INCH DIAMETER HOLES LOCATED 1.5 INCHES FROM THE BOTTOM OF THE PIPE. LINEARLY SPACED 9 INCHES ON CENTER, WITH THE FIRST HOLE STARTING 10 INCHES FROM THE EXTREME END OF THE PIPE.



**Greenville County
Storm Water Management**

DEWATERING BY PUMPING

STANDARD DRAWING NO.

SC-09B

APPROVED BY: _____
GREENVILLE COUNTY STORM WATER MANAGEMENT

January 2018
DATE