



NOTES:

1. TYPICAL RAIN GARDEN SURFACE AREA IS 20-30% OF THE AREA DRAINING TO RAIN GARDEN.
2. USE GREENVILLE COUNTY FILTER MEDIA MIX. DEPTH DEPENDS ON TYPE OF PLANTINGS. SEE SPECIFICATION WQ-14.
3. DIRECT UNDERDRAIN FLOW TO STABILIZED OUTLET. STABILIZE AREAS WHERE SURFACE WATER FLOWS INTO OR OUT OF RAIN GARDEN.
4. PROVIDE A STABLE OVERFLOW SPILLWAY TO PASS HIGH FLOWS WITHOUT EROSION.
5. SEE CLEMSON EXTENSION RAIN GARDEN MANUAL FOR MORE INFORMATION ON SITE SELECTION, SIZING, PLANTINGS, AND GENERAL GUIDANCE.

SOURCE: ADAPTED FROM CLEMSON EXTENSION, A GUIDE TO RAIN GARDENS IN SOUTH CAROLINA, 2016. AND CITY OF LOS ANGELES, STORMWATER PROGRAM LID DOCUMENTS, 2016.

NOT TO SCALE



**Greenville County**  
**Storm Water Management**

RAIN GARDEN

STANDARD DRAWING NO. WQ-14

APPROVED BY: \_\_\_\_\_ DATE: March 2020  
 GREENVILLE COUNTY STORM WATER MANAGEMENT DATE